

IN THE CLAIMS:

A status of all the claims of the present Application is presented below:

1. **(Previously Presented)** A portable computer system, comprising:
a bezel having a bezel flange contacting and supporting a screen; and
an antenna disposed at least partially between the bezel flange and a portion of the screen.
2. **(Previously Presented)** The system of Claim 1, wherein the antenna comprises a conductive trace deposited on an interior surface of the screen.
3. **(Previously Presented)** The system of Claim 1, further comprising a display device disposed adjacent an interior surface of the screen.
4. **(Previously Presented)** The system of Claim 1, wherein the antenna extends a predetermined distance along an interior surface of the screen.
5. **(Original)** The system of Claim 1, wherein the antenna comprises a pattern portion.
6. **(Previously Presented)** The system of Claim 5, wherein the antenna comprises an extension portion extending from the pattern portion to a screen connector.
7. **(Previously Presented)** The system of Claim 1, wherein the antenna comprises an extension portion extending to at least two side areas of the screen.
8. **(Previously Presented)** The system of Claim 1, further comprising a screen connector adapted to conductively couple the antenna to an internal antenna circuit of the portable computer system.
9. **(Original)** The system of Claim 1, wherein the bezel is adapted to conductively couple the antenna to an internal antenna circuit of the portable computer system.
10. **(Original)** The system of Claim 1, wherein the bezel comprises a conductive via conductively coupling the antenna to an internal antenna circuit of the portable computer system.

11. **(Currently amended)** A portable computer system, comprising:
means for contacting and supporting a screen; and
antenna means disposed at least partially between the contacting and supporting means
and an interior surface of the screen.
12. **(Original)** The system of Claim 11, further comprising means for conductively
coupling the antenna means to an internal antenna circuit of the portable computer system.
13. **(Currently amended)** The system of Claim 11, further comprising means for
conductively coupling the antenna means to the contacting and supporting means.
14. **(Previously Presented)** The system of Claim 11, wherein the antenna means
comprises conductive means deposited on the interior surface of the screen.
15. **(Previously Presented)** The system of Claim 11, further comprising a display
means disposed adjacent the interior surface of the screen.
16. **(Previously Presented)** A method of manufacturing a portable computer system,
comprising:
providing a screen having an antenna disposed on an interior surface thereof; and
providing a bezel having a bezel flange adapted to support the screen, at least a portion
of the antenna disposed between the bezel flange and the screen.
17. **(Original)** The method of Claim 16, further comprising conductively coupling the
antenna to an internal antenna circuit of the portable computer system.
18. **(Previously Presented)** The method of Claim 16, wherein providing a screen
comprises providing a screen having a pattern antenna portion disposed on the interior surface
thereof.
19. **(Previously Presented)** The method of Claim 18, wherein providing a screen
comprises providing a screen having an extension antenna portion extending from the pattern
antenna portion to a screen connector.
20. **(Original)** The method of Claim 16, further comprising conductively coupling the
antenna to the bezel.

21. **(Original)** The method of Claim 16, wherein providing a bezel comprises providing a bezel having a conductive via conductively coupling the antenna to an internal antenna circuit of the portable computer system.

22. **(Currently amended)** A portable computer system, comprising:
a screen;
a display device disposed adjacent an interior surface of the screen; ~~and~~
an antenna disposed on the interior surface of the screen; and
a bezel having a flange disposed between the screen and the display device.

23. **(Original)** The system of Claim 22, wherein the antenna comprises a pattern portion.

24. **(Original)** The system of Claim 23, wherein the antenna comprises an extended portion extending from the pattern portion to a screen member connector.

25. **(Original)** The system of Claim 22, wherein the antenna is conductively coupled to an internal antenna circuit of the portable computer system.

26. **(Currently amended)** The system of Claim 22, ~~further comprising a bezel adapted wherein the bezel is configured~~ to conductively couple the antenna to an internal antenna circuit of the portable computer system.

27. **(Canceled)**

28. **(Currently amended)** The system of Claim 22, ~~further comprising a~~ wherein the bezel having comprises a conductive via conductively coupling the antenna to an internal antenna circuit of the portable computer system.

29. **(Previously Presented)** The system of Claim 22, wherein the antenna extends a predetermined distance on the interior surface of the screen.

30. **(Currently amended)** The system of Claim 22, ~~further comprising a bezel flange disposed between the screen and the display device, wherein the antenna is~~ disposed between the bezel flange and the interior surface of the screen.

31. **(Previously Presented)** A portable computer system, comprising:
a bezel flange adapted to support a screen, the screen having an antenna disposed thereon, the bezel flange having a conductive path extending therethrough to conductively couple the antenna to an antenna circuit.
32. **(Previously Presented)** The system of Claim 31, further comprising an electrically conductive via formed in the bezel flange.
33. **(Previously Presented)** The system of Claim 31, further comprising a connector configured to conductively couple the antenna to a via formed in the bezel flange.
34. **(Previously Presented)** The system of Claim 31, wherein the bezel flange extends between the screen and a display device.
35. **(Previously Presented)** A portable computer system, comprising:
a screen; and
an antenna formed on the screen.
36. **(Previously Presented)** The system of Claim 35, wherein the antenna comprises at least one conductive trace applied to a surface of the screen.
37. **(Previously Presented)** The system of Claim 35, wherein the antenna comprises at least one conductive trace applied to an interior surface of the screen.
38. **(Previously Presented)** The system of Claim 35, wherein the antenna comprises at least one conductive trace deposited onto a surface of the screen.
39. **(Previously Presented)** The system of Claim 35, wherein the antenna comprises at least one conductive trace deposited onto an interior surface of the screen.
40. **(Previously Presented)** The system of Claim 35, wherein the screen comprises a transparent screen.